




Image courtesy
NASA



Microsoft-free
presentation

Fingerprinting the Universe



Image courtesy
NASA



Microsoft-free
presentation

The cosmological quest

Modern cosmology is a global and collective effort.

Our aim? To put in place a precision description of our Universe that can stand the test of time, and perhaps outlive us all.

The cosmological quest

Modern cosmology is a global and collective effort.

Our aim? To put in place a precision description of our Universe that can stand the test of time, and perhaps outlive us all.

This ambition is possible because

- The superb quality of new observational data, from many sources.
- The development of theoretical models containing enough ingredients to explain observed phenomena.
- The power of modern high-performance computers for data acquisition and analysis, and for determining theoretical predictions from models.

What is a model?

A model is a physical/mathematical construct intended to represent some aspects of the real world. Models usually come in two parts.

What is a model?

A model is a physical/mathematical construct intended to represent some aspects of the real world. Models usually come in two parts.

Clever Ideas:

What is a model?

A model is a physical/mathematical construct intended to represent some aspects of the real world. Models usually come in two parts.

Clever Ideas:

e.g. theory of gravity
hot big bang cosmology
quantum mechanics

What is a model?

A model is a physical/mathematical construct intended to represent some aspects of the real world. Models usually come in two parts.

Clever Ideas:

e.g. theory of gravity
hot big bang cosmology
quantum mechanics

Parameters:

What is a model?

A model is a physical/mathematical construct intended to represent some aspects of the real world. Models usually come in two parts.

Clever Ideas:

e.g. theory of gravity
hot big bang cosmology
quantum mechanics

Parameters:

e.g. strength of gravity
expansion rate of Universe
speed of light

What is a model?

A model is a physical/mathematical construct intended to represent some aspects of the real world. Models usually come in two parts.

Clever Ideas:

e.g. theory of gravity
hot big bang cosmology
quantum mechanics

Parameters:


e.g. strength of gravity
expansion rate of Universe
speed of light

If a model is to be much good, it should be
(a) consistent with observations, and (b) predictive.

Albert Einstein




Declared 'Person of
the Century' by Time
Magazine, 1999



Albert Einstein



Declared 'Person of
the Century' by Time
Magazine, 1999




- In 1915, Einstein published his general theory of relativity. It was a theory of gravity, attributing gravitational forces to a curvature of space-time.

Albert Einstein



Declared 'Person of
the Century' by Time
Magazine, 1999



- In 1915, Einstein published his general theory of relativity. It was a theory of gravity, attributing gravitational forces to a curvature of space-time.
- Soon afterwards, working with Willem de Sitter, he made the first cosmological models, but they were static Universe models.



Alexander Friedmann


- In 1922, Friedmann constructed the first expanding Universe models, still known today as the Friedmann models.
- He realised that the geometry of the Universe could come in three types: flat, spherical (closed), or hyperbolic (open).



Alexander Friedmann

- In 1922, Friedmann constructed the first expanding Universe models, still known today as the Friedmann models.
- He realised that the geometry of the Universe could come in three types: flat, spherical (closed), or hyperbolic (open).


CLOSED



OPEN





FLAT



Alexander Friedmann

- In 1922, Friedmann constructed the first expanding Universe models, still known today as the Friedmann models.
- He realised that the geometry of the Universe could come in three types: flat, spherical (closed), or hyperbolic (open).





Edwin Hubble



Edwin Hubble


"... an Olympian, tall, strong, and beautiful, with the shoulders of the Hermes of Praxiteles ... there was a sense of power, channeled and directed in an adventure that had nothing to do with personal ambition and anxieties and lack of peace. There was hard concentrated effort and yet detachment. The power was controlled."

Grace Hubble, recollecting her first meeting with her future husband.

Edwin Hubble



"...
the
was
an a
pers
peac
deta



with
ere
in

yet

her first
band.



Edwin Hubble

"... an Olympian, tall, strong, and beautiful, with the shoulders of the Hermes of Praxiteles ... there was a sense of power, channeled and directed in an adventure that had nothing to do with personal ambition and anxieties and lack of peace. There was hard concentrated effort and yet detachment. The power was controlled."

Grace Hubble, recollecting her first meeting with her future husband.



Edwin Hubble

“... an Olympian, tall, strong, and beautiful, with the shoulders of the Hermes of Praxiteles ... there was a sense of power, channeled and directed in an adventure that had nothing to do with personal ambition and anxieties and lack of peace. There was hard concentrated effort and yet detachment. The power was controlled.”

Grace Hubble, recollecting her first meeting with her future husband.

- In 1924, by resolving cepheid variable stars in other galaxies, he showed that the Milky Way is just one amongst many galaxies.



Edwin Hubble

“... an Olympian, tall, strong, and beautiful, with the shoulders of the Hermes of Praxiteles ... there was a sense of power, channeled and directed in an adventure that had nothing to do with personal ambition and anxieties and lack of peace. There was hard concentrated effort and yet detachment. The power was controlled.”

Grace Hubble, recollecting her first meeting with her future husband.

- In 1924, by resolving cepheid variable stars in other galaxies, he showed that the Milky Way is just one amongst many galaxies.
- In 1929, with Milton Humason, he measured the expansion rate of the Universe, by determining the distances and velocities of nearby galaxies.

Edwin Hubble



- In 1924, by resolving galaxies, he showed that many galaxies.

- In 1929, with Milton Humason, he measured the expansion rate of the Universe, by determining the distances and velocities of nearby galaxies.

Vesto Slipher: discoverer of the expansion of the Universe, circa 1915.

ing, and beautiful, with
is of Providence ... there
instructed and directed in
ing with with
series and lack of
concentrated effort and yet
is controlled.

ubble, recollecting her first
with her future husband.

s in other
just one amongst

expansion
and



George Gamow & co

In the late 1940s, a team centred around George Gamow, particularly Ralph Alpher and Robert Herman, developed the key ideas of the Hot Big Bang model.



George Gamow & co

In the late 1940s, a team centred around George Gamow, particularly Ralph Alpher and Robert Herman, developed the key ideas of the Hot Big Bang model.

- Gamow was especially interested in the formation of light elements by nuclear reactions, when the Universe was around one second old.



George Gamow & co

In the late 1940s, a team centred around George Gamow, particularly Ralph Alpher and Robert Herman, developed the key ideas of the Hot Big Bang model.

- Gamow was especially interested in the formation of light elements by nuclear reactions, when the Universe was around one second old.
- In particular, in 1948 Alpher and Herman predicted the existence of the cosmic microwave background. Unfortunately this would soon be forgotten.

The cosmic microwave background

In 1964, Arno Penzias and Robert Wilson discovered the cosmic microwave background, a relic radiation left over from the big bang. Its existence vindicated the work of Alpher, Herman, and Gamow, and established the Hot Big Bang model as the standard description of the Universe.



The cosmic microwave background

In 1964, Arno Penzias and Robert Wilson discovered the cosmic microwave background, a relic radiation left over from the big bang. Its existence vindicated the work of Alpher, Herman, and Gamow, and established the Hot Big Bang model as the standard description of the Universe.



In this epoch of cosmological studies, attention was mostly focussed on measuring two parameters, the Hubble constant and the total density of the Universe (combined, these determine the curvature).

The cosmic microwave background

In 1964, Arno Penzias and Robert Wilson discovered the cosmic microwave background, a relic radiation left over from the big bang. Its existence vindicated the work of Alpher, Herman, and Gamow, and established the Hot Big Bang model as the standard description of the Universe.



In this epoch of cosmological studies, attention was mostly focussed on measuring two parameters, the Hubble constant and the total density of the Universe (combined, these determine the curvature).

“Cosmology: a search for two numbers”

Allan Sandage

The dark stuff, part I

The dark stuff, part I



Fritz Zwicky

The dark stuff, part I



Fritz Zwicky



Vera Rubin

The dark stuff, part I



Fritz Zwicky



Vera Rubin

- As long ago as the mid 1930s, Fritz Zwicky discovered dark matter in a nearby cluster of galaxies, the Coma cluster.

The dark stuff, part I



Fritz Zwicky



Vera Rubin

- As long ago as the mid 1930s, Fritz Zwicky discovered dark matter in a nearby cluster of galaxies, the Coma cluster.
- In the 1970s, detailed studies of galaxy dynamics, especially by Vera Rubin, left cosmologists in little doubt that there was more to the Universe than met the eye.

The dark stuff, part I



Fritz Zwicky




Vera Rubin


- As long ago as the mid 1930s, Fritz Zwicky discovered dark matter in a nearby cluster of galaxies, the Coma cluster.
- In the 1970s, detailed studies of galaxy dynamics, especially by Vera Rubin, left cosmologists in little doubt that there was more to the Universe than met the eye.

Suddenly, there were more than two cosmological parameters.

The formation of structures




Yakov Zel'dovich




James Peebles

Also around 1970, cosmologists became interested in the formation of structures in the Universe, for instance galaxies and clusters of galaxies. These were believed to form due to gravitational instability, acting on small irregularities in the density of the Universe from point to point.

The formation of structures



Yakov Zel'dovich



James Peebles

Also around 1970, cosmologists became interested in the formation of structures in the Universe, for instance galaxies and clusters of galaxies. These were believed to form due to gravitational instability, acting on small irregularities in the density of the Universe from point to point.


Because the way in which structures form depends on the cosmological model, accurate measurements can tell us about that model.

$z = 20.0$

Simulation (n): The action or practice of simulating, with intent to deceive; false pretence, deceitful profession.

Oxford English Dictionary

50 Mpc/h



The road to precision cosmology




The COBE
satellite,
launched 1989.

The road to precision cosmology



The COBE
satellite,
launched 1989.




Four-year COBE map of the cosmic
microwave background sky.

The road to precision cosmology



The COBE satellite,
launched 1989.




Four-year COBE map of the cosmic
microwave background sky.

- The COBE satellite made the first detection of irregularities in the cosmic microwave background in 1992.

The road to precision cosmology




The COBE satellite, launched 1989.



Four-year COBE map of the cosmic microwave background sky.

- The COBE satellite made the first detection of irregularities in the cosmic microwave background in 1992.
- These are the irregularities that later evolve to form galaxies. They correspond to temperature variations of only about one part in a hundred thousand.

The road to precision cosmology



Nobel Prize in Physics 2006
John Mather and George Smoot

“For the discovery of the black-body form and anisotropies of the cosmic microwave background”.

the first detection of irregularities in the background in 1992.

is that later evolve to form galaxies. temperature variations of only about one


part in a hundred thousand.

The dark stuff, part II

The last ingredient of modern cosmological models fell into place in the late 1990s. Observations of distant supernovae indicated that the expansion of the Universe is accelerating. Several types of observation now support this conclusion.


The dark stuff, part II

The last ingredient of modern cosmological models fell into place in the late 1990s. Observations of distant supernovae indicated that the expansion of the Universe is accelerating. Several types of observation now support this conclusion.



The dark stuff, part II


The last ingredient of modern cosmological models fell into place in the late 1990s. Observations of distant supernovae indicated that the expansion of the Universe is accelerating. Several types of observation now support this conclusion.



- No-one knows what is responsible for this acceleration, but whatever it is has come to be known as **dark energy**.

The dark stuff, part II

The last ingredient of modern cosmological models fell into place in the late 1990s. Observations of distant supernovae indicated that the expansion of the Universe is accelerating. Several types of observation now support this conclusion.




- No-one knows what is responsible for this acceleration, but whatever it is has come to be known as **dark energy**.
- The simplest type of dark energy, known as a cosmological constant, was actually first considered by Albert Einstein!

Interlude

**What does a theoretical
cosmologist actually do?**

A day in the life ...

A day in the life ...




What cosmology actually looks like ...

"Karma police, arrest this man
he talks in maths
he buzzes like a fridge
he's like a detuned radio"
Radiohead, Karma Police


What cosmology actually looks like ...

"Karma police, arrest this man
he talks in maths
he buzzes like a fridge
he's like a detuned radio"
Radiohead, Karma Police




What cosmology actually looks like ...

"Karma police, arrest this man
he talks in maths
he buzzes like a fridge
he's like a detuned radio"
Radiohead, Karma Police



What cosmology actually looks like ...

“Karma police, arrest this man
he talks in maths
he buzzes like a fridge
he’s like a detuned radio”
Radiohead, Karma Police



C. Tracker potentials

Cosmological tracker potentials/solutions have been studied in detail by numerous authors [2, 17, 18, 19, 20]. These potentials are such that the late-time evolution of the field can be essentially independent of initial conditions, thus providing a possible solution to the coincidence problem. This behaviour is achieved through a type of dynamical attractor solution, and the conditions for it to be possible given a particular potential have been given and studied in detail by Steinhardt *et al.* [18]. Defining $\Gamma \equiv V''V/V'^2$, where prime denotes a derivative with respect to the field, the two sufficient conditions for a potential to possess a tracker solution are

$$\Gamma > 1 - \frac{1 - w_b}{6 + 2w_b}, \quad (16)$$

$$\left| \Gamma^{-1} \frac{d\Gamma}{d \ln a} \right| = \left| \frac{d\phi}{d \ln a} \left(\frac{V'}{V} + \frac{V'''}{V''} - 2 \frac{V''}{V'} \right) \right| \ll 1. \quad (17)$$

The first of these conditions ensures convergence to the tracker solution (i.e. perturbations away from it are suppressed), and the second ensures an adiabatic evolution of the field that is necessary for the first condition to be applicable (and is what one would expect of a function that is to maintain a dynamical attractor independent of initial conditions).

If these conditions are fulfilled, the field will eventually approach the tracker solution (unless the initial quintessence energy density is too low), and the equation of state will then evolve according to

$$w_\phi \approx w_{\text{tracker}} = \frac{w_b - 2(\Gamma - 1)}{1 + 2(\Gamma - 1)}, \quad (18)$$

possibly breaking away from the tracker solution if either of the conditions later become violated. In assessing whether tracking is taking place, one also has to check whether the actual evolution on the tracker potential corresponds closely to the tracker solution. An illustration of tracker behaviour can be seen in Fig. 1.

We additionally impose the condition $w_\phi < w_b$, where w_b is the background energy density. This is to ensure a possible solution of the coincidence problem by having the dark energy density grow with respect to the matter. This third condition is usually avoided by specifying the tracker condition as $\Gamma > 1$ rather than Eq. (16). The reason for not choosing $\Gamma > 1$ as our condition is related to our numerical treatment, and is discussed further in Section IV C 1.

As we need a non-zero second derivative of the potential with respect to the field for Γ to fulfil the tracker conditions, we restrict ourselves to the quadratic potential and the Padé series for the tracker viability analysis.

III. OBSERVABLES

The observables used are essentially geometric and are hence related to the comoving distance for a cosmology




FIG. 1: Examples of the behaviour of the equation of state (here called w_ϕ) for a tracker potential. The thin-dashed line originating at $w_\phi = 0$ corresponds to the tracker solution. Reproduced from Ref. [18].

described by the parameter vector Θ , given by

$$r(z; \Theta) = H_0^{-1} \int_0^z \frac{dz'}{E(z'; \Theta)} \quad (19)$$

where

$$E(z; \Theta) = \left[\Omega_m (1+z)^3 + (1 - \Omega_m) e^{F(z; \Theta)} \right]^{1/2} \quad (20)$$

and

$$F(z; \Theta) = 3 \int_0^z (1 + w_\phi(z'; \Theta)) d \ln(1 + z'). \quad (21)$$

We have not included growth-of-structure observations, which are not yet competitive with the measures we do use (see e.g. Ref. [21] for a directly-comparable example).

A. SNIa luminosity–redshift relation

The luminosity distance is given by

$$d_L(z; \Theta) = \frac{D_L(z; \Theta)}{H_0} = (1+z)r(z; \Theta). \quad (22)$$

The apparent magnitude $m(z; \Theta)$ of a type Ia supernova can be expressed as

$$m(z; \Theta) = M + 5 \log_{10} \frac{d_L(z; \Theta)}{\text{Mpc}} + 25, \quad (23)$$

where M is the absolute magnitude of SNIa (supposing they are standard candles). This can be rewritten as

$$m(z; \Theta) = \mathcal{M} + 5 \log_{10} \mathcal{D}_L(z; \Theta), \quad (24)$$

where $\mathcal{M} = M - 5 \log_{10}(H_0 \text{ Mpc}) + 25 = M - 5 \log_{10}(h_{70}) + 43.16$ [where $h_{70} = H_0/(70 \text{ km/s/Mpc})$].

Sussex specialities

Sussex specialities

- Physics of the early Universe.

We aim to understand how physical processes taking place in the very young Universe affect its properties today.

Sussex specialities

- Physics of the early Universe.

We aim to understand how physical processes taking place in the very young Universe affect its properties today.

- Applications of high-performance computing to cosmological problems.

We use some of the most powerful available computers to understand our models.



Sussex specialities

- Physics of the early Universe.

We aim to understand how physical processes taking place in the very young Universe affect its properties today.

- Applications of high-performance computing to cosmological problems.

We use some of the most powerful available computers to understand our models.

- New statistical approaches to cosmology.

We aim to develop new methods to extract the best possible information from observational data.



Sussex specialities

■ Physics of the early Universe.

We aim to understand how physical processes taking place in the very young Universe affect its properties today.

■ Applications of high-performance computing to cosmological problems.

We use some of the most powerful available computers to understand our models.

■ New statistical approaches to cosmology.

We aim to develop new methods to extract the best possible information from observational data.

■ Large cosmological surveys

We are involved in large ground- and space-based observational programmes.



The era of precision cosmology



Precision observations

Precision theory

The era of precision cosmology



Precision observations
Precision theory



What cosmological model?

These are the principles and physical laws underpinning the Universe.

What cosmological model?

These are the principles and physical laws underpinning the Universe.

- Hot big bang cosmology

Describes the global properties of the Universe, its expansion, and its material content.

What cosmological model?

These are the principles and physical laws underpinning the Universe.

- Hot big bang cosmology

Describes the global properties of the Universe, its expansion, and its material content.

- Structure formation by gravitational instability

Describes the growth of structure from initially-small irregularities. Gravity for the initial collapse, lots of other physics in the details.

What cosmological model?

These are the principles and physical laws underpinning the Universe.

- Hot big bang cosmology

Describes the global properties of the Universe, its expansion, and its material content.

- Structure formation by gravitational instability

Describes the growth of structure from initially-small irregularities. Gravity for the initial collapse, lots of other physics in the details.

- Inflationary cosmology

The leading candidate theory for explaining where those initial irregularities came from: quantum fluctuations during rapid expansion of the young Universe.

The cosmic fingerprint

These assumptions define the physical processes we believe determine how the Universe evolves. But they leave many questions open ...

The cosmic fingerprint

These assumptions define the physical processes we believe determine how the Universe evolves. But they leave many questions open ...


- How fast is the Universe expanding?
- What are the amounts of the different kinds of materials in it?
Atoms versus **radiation** versus **dark matter** versus **dark energy**
- How old is the Universe?
-

The cosmic fingerprint

These assumptions define the physical processes we believe determine how the Universe evolves. But they leave many questions open ...


- How fast is the Universe expanding?
- What are the amounts of the different kinds of materials in it?
Atoms versus **radiation** versus **dark matter** versus **dark energy**
- How old is the Universe?
-

Each of these different possible Universes predicts a distinctive pattern in the structures seen in the cosmic microwave background. Measure them, and we find out which Universe is ours!



The Wilkinson Microwave Anisotropy Probe

The WMAP satellite was the successor to COBE, aiming to make precision maps of the CMB, with higher sensitivity and angular resolution...




David Wilkinson



WMAP launch, June 2001

The Wilkinson Microwave Anisotropy Probe

The WMAP satellite was the successor to COBE, aiming to make precision maps of the CMB, with higher sensitivity and angular resolution...




David Wilkinson


... which it did!



WMAP launch, June 2001




Movie credit: NASA/WMAP Team




The cosmic microwave background as imaged by WMAP
(three years of data, released March 2006).

To make the best map of the sky, combine several frequencies.




To make the best map of the sky, combine several frequencies.



To extract the science, we need a statistical analysis of the patterns. In particular, we need to know how the irregularities vary with scale.


The Cosmic Microwave Background

WMAP has given an exquisite measurement of the CMB irregularities.




The Cosmic Microwave Background

WMAP has given an exquisite measurement of the CMB irregularities.



The Cosmic Microwave Background

WMAP has given an exquisite measurement of the CMB irregularities.



Old Universe – *New* Numbers

$\Omega_{\text{tot}} = 1.02^{+0.02}_{-0.02}$	$n_s = 0.93^{+0.03}_{-0.03}$
$w < -0.78$ (95% CL)	$dn_s/d \ln k = -0.031^{+0.016}_{-0.018}$
$\Omega_{\Lambda} = 0.73^{+0.04}_{-0.04}$	$r < 0.71$ (95% CL)
$\Omega_b h^2 = 0.0224^{+0.0009}_{-0.0009}$	$z_{\text{dec}} = 1089^{+1}_{-1}$
$\Omega_b = 0.044^{+0.004}_{-0.004}$	$\Delta z_{\text{dec}} = 195^{+2}_{-2}$
$n_b = 2.5 \times 10^{-7} {}^{+0.1 \times 10^{-7}}_{-0.1 \times 10^{-7}} \text{ cm}^{-3}$	$h = 0.71^{+0.04}_{-0.03}$
$\Omega_m h^2 = 0.135^{+0.008}_{-0.009}$	$t_0 = 13.7^{+0.2}_{-0.2} \text{ Gyr}$
$\Omega_m = 0.27^{+0.04}_{-0.04}$	$t_{\text{dec}} = 379^{+8}_{-7} \text{ kyr}$
$\Omega_v h^2 < 0.0076$ (95% CL)	$t_r = 180^{+220}_{-80} \text{ Myr}$ (95% CL)
$m_v < 0.23 \text{ eV}$ (95% CL)	$\Delta t_{\text{dec}} = 118^{+3}_{-2} \text{ kyr}$
$T_{\text{cmb}} = 2.725^{+0.002}_{-0.002} \text{ K}$	$z_{\text{eq}} = 3233^{+194}_{-210}$
$n_{\gamma} = 410.4^{+0.9}_{-0.9} \text{ cm}^{-3}$	$\tau = 0.17^{+0.04}_{-0.04}$
$\eta = 6.1 \times 10^{-10} {}^{+0.3 \times 10^{-10}}_{-0.2 \times 10^{-10}}$	$z_r = 20^{+10}_{-9}$ (95% CL)
$\Omega_b \Omega_m^{-1} = 0.17^{+0.01}_{-0.01}$	$\theta_A = 0.598^{+0.002}_{-0.002}$
$\sigma_8 = 0.84^{+0.04}_{-0.04} \text{ Mpc}$	$d_A = 14.0^{+0.2}_{-0.3} \text{ Gpc}$
$\sigma_8 \Omega_m^{0.5} = 0.44^{+0.04}_{-0.05}$	$l_A = 301^{+1}_{-1}$
$A = 0.833^{+0.086}_{-0.083}$	$r_s = 147^{+2}_{-2} \text{ Mpc}$

Nice models, shame about the physics

There is no doubt that models based on the assumptions described here give an outstandingly good description of our Universe, worthy of the name **Standard Cosmological Model**. But ...

Nice models, shame about the physics

There is no doubt that models based on the assumptions described here give an outstandingly good description of our Universe, worthy of the name **Standard Cosmological Model**. But ...

... the reason we were making all those measurements is because we were hoping to understand something about why the Universe is as it is. And there the picture is not so rosy.

To the future ...

The standard cosmological models answers many questions about our Universe - what is its material composition, how old is it, how fast does it expand - but leaves some unanswered and raises some new ones.

To the future ...

The standard cosmological models answers many questions about our Universe - what is its material composition, how old is it, how fast does it expand - but leaves some unanswered and raises some new ones.

- What is the dark matter?

To the future ...

The standard cosmological models answers many questions about our Universe - what is its material composition, how old is it, how fast does it expand - but leaves some unanswered and raises some new ones.

- What is the dark matter?
- Why is the Universe filled with matter, not anti-matter?

To the future ...

The standard cosmological models answers many questions about our Universe - what is its material composition, how old is it, how fast does it expand - but leaves some unanswered and raises some new ones.

- What is the dark matter?
- Why is the Universe filled with matter, not anti-matter?
- What is the dark energy? Does it evolve? How will it affect the future evolution of the Universe?

To the future ...

“... Cry as you
will, take what you
need, the night is young
and limitless our greed.”

J.H. Prynne, The White Stones

The standard cosmological models answers many questions about our Universe - what is its material composition, how old is it, how fast does it expand - but leaves some unanswered and raises some new ones.

- What is the dark matter?
- Why is the Universe filled with matter, not anti-matter?
- What is the dark energy? Does it evolve? How will it affect the future evolution of the Universe?

The answer, as always, is “get more data”!

To the future ...

“... Cry as you will, take what you need, the night is young and limitless our greed.”

J.H. Prynne, The White Stones

The standard cosmological models answers many questions about our Universe - what is its material composition, how old is it, how fast does it expand - but leaves some unanswered and raises some new ones.

- What is the dark matter?
- Why is the Universe filled with matter, not anti-matter?
- What is the dark energy? Does it evolve? How will it affect the future evolution of the Universe?

The answer, as always, is “get more data”!

